

TCU DRUG SCREEN 5

During the last 12 months (before being locked up, if applicable) –

	Yes	No
1. Did you use larger amounts of drugs or use them for a longer time than you planned or intended?	<input type="radio"/>	<input type="radio"/>
2. Did you try to control or cut down on your drug use but were unable to do it?	<input type="radio"/>	<input type="radio"/>
3. Did you spend a lot of time getting drugs, using them, or recovering from their use?	<input type="radio"/>	<input type="radio"/>
4. Did you have a strong desire or urge to use drugs?	<input type="radio"/>	<input type="radio"/>
5. Did you get so high or sick from using drugs that it kept you from working, going to school, or caring for children?	<input type="radio"/>	<input type="radio"/>
6. Did you continue using drugs even when it led to social or interpersonal problems? ...	<input type="radio"/>	<input type="radio"/>
7. Did you spend less time at work, school, or with friends because of your drug use?	<input type="radio"/>	<input type="radio"/>
8. Did you use drugs that put you or others in physical danger?	<input type="radio"/>	<input type="radio"/>
9. Did you continue using drugs even when it was causing you physical or psychological problems?	<input type="radio"/>	<input type="radio"/>
10a. Did you need to increase the amount of a drug you were taking so that you could get the same effects as before?	<input type="radio"/>	<input type="radio"/>
10b. Did using the same amount of a drug lead to it having less of an effect as it did before?	<input type="radio"/>	<input type="radio"/>
11a. Did you get sick or have withdrawal symptoms when you quit or missed taking a drug?	<input type="radio"/>	<input type="radio"/>
11b. Did you ever keep taking a drug to relieve or avoid getting sick or having withdrawal symptoms?	<input type="radio"/>	<input type="radio"/>
12. Which drug caused the most serious problem during the last 12 months? [CHOOSE ONE]		
<input type="radio"/> None <input type="radio"/> Stimulants – Methamphetamine (<i>meth</i>)		
<input type="radio"/> Alcohol <input type="radio"/> Synthetic Cathinones (<i>Bath Salts</i>)		
<input type="radio"/> Cannaboids – Marijuana (<i>weed</i>) <input type="radio"/> Club Drugs – MDMA/GHB/Rohypnol (<i>Ecstasy</i>)		
<input type="radio"/> Cannaboids – Hashish (<i>hash</i>) <input type="radio"/> Dissociative Drugs – Ketamine/PCP (<i>Special K</i>)		
<input type="radio"/> Synthetic Marijuana (<i>K2/Spice</i>) <input type="radio"/> Hallucinogens – LSD/Mushrooms (<i>acid</i>)		
<input type="radio"/> Opioids – Heroin (<i>smack</i>) <input type="radio"/> Inhalants – Solvents (<i>paint thinner</i>)		
<input type="radio"/> Opioids – Opium (<i>tar</i>) <input type="radio"/> Prescription Medications – Depressants		
<input type="radio"/> Stimulants – Powder Cocaine (<i>coke</i>) <input type="radio"/> Prescription Medications – Stimulants		
<input type="radio"/> Stimulants – Crack Cocaine (<i>rock</i>) <input type="radio"/> Prescription Medications – Opioid Pain Relievers		
<input type="radio"/> Stimulants – Amphetamines (<i>speed</i>) <input type="radio"/> Other (specify) _____		

13. How often did you use each type of drug during the last 12 months?	Never	Only a few times	1-3 times per month	1-5 times per week	Daily
a. Alcohol	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Cannaboids – Marijuana (<i>weed</i>)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Cannaboids – Hashish (<i>hash</i>)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. Synthetic Marijuana (<i>K2/Spice</i>)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. Opioids – Heroin (<i>smack</i>)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
f. Opioids – Opium (<i>tar</i>)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
g. Stimulants – Powder cocaine (<i>coke</i>)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
h. Stimulants – Crack Cocaine (<i>rock</i>)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
i. Stimulants – Amphetamines (<i>speed</i>)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
j. Stimulants – Methamphetamine (<i>meth</i>)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
k. Synthetic Cathinones (<i>Bath Salts</i>)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
l. Club Drugs – MDMA/GHB/Rohypnol (<i>Ecstasy</i>)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
m. Dissociative Drugs – Ketamine/PCP (<i>Special K</i>)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
n. Hallucinogens – LSD/Mushrooms (<i>acid</i>)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
o. Inhalants – Solvents (<i>paint thinner</i>)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
p. Prescription Medications – Depressants	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
q. Prescription Medications – Stimulants	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
r. Prescription Medications – Opioid Pain Relievers	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
s. Other (specify) _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

14. How many times before now have you ever been in a drug treatment program?
 [DO NOT INCLUDE AA/NA/CA MEETINGS]

- Never* *1 time* *2 times* *3 times* *4 or more times*

15. How serious do you think your drug problems are?

- Not at all* *Slightly* *Moderately* *Considerably* *Extremely*

16. During the last 12 months, how often did you inject drugs with a needle?

- Never* *Only a few times* *1-3 times/month* *1-5 times per week* *Daily*

17. How important is it for you to get drug treatment now?

- Not at all* *Slightly* *Moderately* *Considerably* *Extremely*

TCU DRUG SCREEN 5 – Opioid Supplement

***If the response to TCU Drug Screen 5, page 2, Q13e, Q13f, or Q13r regarding opioid use is more than “Never,” then complete the following questions.**

In the **LAST 12 MONTHS** –

1. What types of opioids have you used?

- a. Heroin No Yes
- b. Oxycodone (Oxycontin, Percodan, Percocet) No Yes
- c. Hydrocodone (Vicodin, Lortab, Lorcet, Norco, Zohydro) No Yes
- d. Morphine (Kadian, Avinza, MS Contin) No Yes
- e. Fentanyl (Duragesic, Fentora) No Yes
- f. Hydromorphone (Dilaudid, Exalgo) No Yes
- g. Methadone (Dolophine) No Yes
- h. Oxymorphone (Opana) No Yes
- i. Codeine (Tylenol/cough syrup with codeine) No Yes

2. How many times did you inject an opioid?

- Never A few times 1-3 times/month 1-5 times per week Daily

3. How many times did you take an opioid in another way (e.g., ground pills and sniffed it, put a film in your mouth)?

- Never A few times 1-3 times/month 1-5 times per week Daily

4. How many times did you take an opioid prescribed for you?

- Never A few times 1-3 times/month 1-5 times per week Daily

5. How many times did you take an opioid prescribed for someone else?

- Never A few times 1-3 times/month 1-5 times per week Daily

6. From whom did you get the opioids you took?

- a. Medical doctor/pharmacy? No Yes
- b. Family member? No Yes
- c. Friend? No Yes
- d. Someone else (e.g., “on the street”)? No Yes

7. Have you taken opioids for medical reasons? No Yes*

***IF YES**, briefly describe the reasons:

<input type="text"/> Client ID#	<input type="text"/> Today's Date	<input type="text"/> Facility ID#	<input type="text"/> Zip Code	<input type="text"/> Administration
------------------------------------	--------------------------------------	--------------------------------------	----------------------------------	--

8. Have you taken opioids for **non-medical reasons**? No Yes*

*IF YES, briefly describe the reasons:

9. Has a **doctor prescribed** opioid medications for you? No Yes*

*IF YES:

a. did you have the most recent **prescription filled**? No Yes*

b. did you **take all of the medications** as prescribed? No Yes*

c. did you **give or sell any of your medications** to someone else? No Yes*

10. Have you taken **other medications or illegal drugs** for medical reasons (e.g., to treat pain)? No Yes*

*IF YES, please list:

Drug/medication: _____ Reasons for taking: _____

Drug/medication: _____ Reasons for taking: _____

Drug/medication: _____ Reasons for taking: _____

11. Do you or someone close to you (e.g., family, friend) have **access to naloxone (Narcan)** to reverse an overdose? No Yes

12. How many times have you **EVER overdosed** after taking opioids?

Never Once Twice 3 times 4 or more times

13. **In the last 12 months**, how many times **have you overdosed** after taking opioids?

Never Once* Twice* 3 times* 4 or more times*

*IF MORE THAN "NEVER," in the last 12 months:

a. **What types of opioids** did you use?

1. Heroin No Yes

2. Oxycodone (Oxycontin, Percodan, Percocet) No Yes

3. Hydrocodone (Vicodin, Lortab, Lorcet, Norco, Zohydro) No Yes

4. Morphine (Kadian, Avinza, MS Contin) No Yes

5. Fentanyl (Duragesic, Fentora) No Yes

6. Hydromorphone (Dilaudid, Exalgo) No Yes

7. Methadone (Dolophine) No Yes

8. Oxymorphone (Opana) No Yes

9. Codeine (Tylenol/cough syrup with codeine) No Yes

<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> Client ID#	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> Today's Date	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> Facility ID#	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> Zip Code	<input type="text"/> <input type="text"/> <input type="text"/> Administration
---	---	---	---	--

b. How many times did you go to the hospital or emergency room because of an overdose on opioids?

- Never*
 Once
 Twice
 3 times
 4 or more times

c. How many times were you given naloxone (Narcan) because of an overdose?

- Never*
 Once
 Twice
 3 times
 4 or more times

d. Have you received any follow-up treatment after the most recent overdose?

- No*
 Yes

14. Have you received Medication Assisted Treatment (MAT) in the last 12 months?

- No*
 Yes

15. Are you currently receiving Medication Assisted Treatment (MAT)?

- No*
 Yes

***IF YES, what type?**

- a. Methadone (Dolophine or Methadone) *No* *Yes*
 b. Buprenorphine (Subutex, Suboxone) *No* *Yes*
 c. Oral naltrexone (Depade, Revia) *No* *Yes*
 d. Depot naltrexone (Vivitrol) *No* *Yes*
 e. Other, specify: _____ *No* *Yes*

16. Have you obtained any of these medications without a prescription?

- No*
 Yes

17. Have you taken more of these medications than were prescribed?

- No*
 Yes